



Figure 8: Running times of different algorithms on test datasets under the UIC model and the WIC model.

[6] W. Chen, Y. Wang, and S. Yang. Efficient influence maximization in social networks. In *KDD'09*, pages 199–208, 2009.

[7] W. Chen, Y. Yuan, and L. Zhang. Scalable influence maximization in social networks under the linear threshold model. In *ICDM'10*, pages 88–97, 2010.

[8] P. Domingos and M. Richardson. Mining the network value of customers. In *KDD'01*, pages 57–66, ACM, 2001.

[9] A. Goyal, W. Lu, and L. V. Lakshmanan. Celf++: optimizing the greedy algorithm for influence maximization in social networks. In *WWW'11*, pages 47–48, ACM, 2011.

[10] X. He, G. Song, W. Chen, and Q. Jiang. Influence blocking maximization in social networks under the competitive linear threshold model. In *SDM'12*, pages 463–474. SIAM / Omnipress, 2012.

[11] J. Huang, X.-Q. Cheng, J. Guo, H.-W. Shen, and K. Yang. Social recommendation with interpersonal influence. In *ECAI'10*, pages 601–606, IOS Press, 2010.

[12] J. Huang, X.-Q. Cheng, H.-W. Shen, T. Zhou, and X. Jin. Exploring social influence via posterior effect of word-of-mouth recommendations. In *WSDM'12*, pages 573–582, ACM, 2012.

[13] Q. Jiang, G. Song, C. Gao, Y. Wang, W. Si, and

K. Xie. Simulated annealing based influence maximization in social networks. In *AAAI'11*, pages 127–132, Association for the Advancement of Artificial Intelligence, 2011.

[14] D. Kempe, J. Kleinberg, and E. Tardos. Maximizing the spread of influence through a social network. In *KDD'03*, pages 137–146, ACM, 2003.

[15] M. Kimura and K. Saito. Tractable models for information diffusion in social networks. In *PKDD'06*, pages 259–271, Springer-Verlag, 2006.

[16] M. Kimura, K. Saito, R. Nakano, and H. Motoda. Extracting influential nodes on a social network for information diffusion. *Data Mining and Knowledge Discovery*, 20(1):70–97, 2010.

[17] J. Leskovec, A. Krause, C. Guestrin, C. Faloutsos, J. VanBriesen, and N. Glance. Cost-effective outbreak detection in networks. In *KDD'07*, pages 420–429, ACM, 2007.

[18] D. Li, X. Shuai, G. Sun, J. Tang, Y. Ding, and Z. Luo. Mining topic-level opinion influence in microblog. In *CIKM'12*, pages 1562–1566. ACM, 2012.

[19] Z.-L. Luo, W.-D. Cai, Y.-J. Li, and D. Peng. A pagerank-based heuristic algorithm for influence maximization in the social network. *LNEE*, 157:485–490, 2012.

[20] M. Mathioudakis, F. Bonchi, C. Castillo, A. Gionis, and A. Ukkonen. Sparsification of influence networks. In *KDD'11*, pages 529–537, ACM, 2011.

[21] E. Mossel and S. Roch. On the submodularity of influence in social networks. In *STOC'07*, pages 128–134. ACM, 2007.

[22] R. Narayanam and Y. Narahari. A shapley value-based approach to discover influential nodes in social networks. *IEEE Transactions on Automation Science and Engineering*, 8(1):130–147, 2011.

[23] G. L. Nemhauser, L. A. Wolsey, and M. L. Fisher. An analysis of approximations for maximizing submodular set functions. *Mathematical Programming*, 14:265–294, 1978.

[24] M. Richardson and P. Domingos. Mining knowledge-sharing sites for viral marketing. In *KDD'02*, pages 61–70, ACM, 2002.

[25] S. Shirazipourazad, B. Bogard, H. Vachhani, A. Sen, and P. Horn. Influence propagation in adversarial setting: how to defeat competition with least amount of investment. In *CIKM'12*, pages 585–594. ACM, 2012.

[26] R. M. Tripathy, A. Bagchi, and S. Mehta. A study of rumor control strategies on social networks. In *CIKM'10*, pages 1817–1820. ACM, 2010.

[27] C. Wang, W. Chen, and Y. Wang. Scalable influence maximization for independent cascade model in large-scale social networks. *Data Mining and Knowledge Discovery*, 25(3):545–576, 2012.

[28] Y. Wang, G. Cong, G. Song, and K. Xie. Community-based greedy algorithm for mining top-k influential nodes in mobile social networks. In *KDD'10*, pages 1039–1048, ACM, 2010.

[29] M. Ye, X. Liu, and W.-C. Lee. Exploring social influence for recommendation: a generative model approach. In *SIGIR'12*, pages 671–680. ACM, 2012.